

70mm Standard Weepa

Installation guide for weep holes in masonry









After clean up, use a small, flat screwdriver to prise the mortar cover up at the bottom.




When rendering, the Weepa needs to be loosened in the masonry so the renderer can adjust the Weepa in and out. Grab internal rib to adjust Weepa in and out.



Close the grate assembly for an attractive and vermin proof weep hole.

70mm Standard Weepa









Make sure the new Weepa is installed when the masonry wall is built.



Loosen the Weepa and pull out proud of masonry.







Lay on render around the Weepa.







Step 5





Pat the Weepa flush with the surface.

Step 6






Float around the Weepa.


Step 7



Sponge finish. For easy removal later, wipe the mortar guard clean now, then again after painting.

Step 8





Once finished and cleaned remove mortar guard for beautiful weep holes.

70mm Standard Weepa

Installation guide for weep holes in rendered lightweight panel







Mark the outline of the weep hole on each board at recommended centers and between each batten, then cut out with a jab saw.

Step 2



recommended by supplier. Attention: Weepa does not encourage cutting out weep hole after fixing as this could compromise the

waterproof membrane.

Fix board as

Step 3



Check Weepa depth at back to ensure adequate clearance of studs and flashing. Ventilation must not be impeded.



If necessary, cut the back off the Weepa and remove dags.



Step 5



Apply recommended glue to Weepa and push into weep hole slot so it acts as formwork for coating or finish. Smooth off excess glue. Allow to dry.

Step 6



Apply render or coating. Screed as desired.




Step 7



Sponge as required. Clean the

Weepa cover of excess render, finish and paint at each stage.

Step 8



After final finish and clean up remove cover.

End result: beautiful and functional Weepa weep holes!